



SOLID END-GRAIN PLANKS

INTRODUCING SOLID END-GRAIN FLOORING PLANKS



Extremely durable - end-grain cut ensures highest possible durability of wood. Historically installed in high-traffic areas used by horse carriages. It will withstand any conditions.

Easy and cost-effective to install - manufactured in form of ~1 m long planks with T&G connection, making it incomparably quicker and easier to install than standard loose end-grain blocks.

Pre-finished - end grain planks are factory finished in a color and style of choice. Making it possible to avoid difficult and expensive on-site finishing.

AVAILABLE SPECIES




EUROPEAN OAK




EUROPEAN LARCH


AVAILABLE SIZES





100 mm x 100 mm



132 mm x 132 mm




98 mm x 196 mm




AVAILABLE FORMATS


HERRINGBONE




RECTANGULAR
SQUARES




"BRICK WALL" 01




"BRICK WALL" 02



CHEQUER 01



CHEQUER 02













The image displays a 4x3 grid of 12 rectangular wood plank samples. Each plank shows a distinct end-grain pattern, characterized by concentric, semi-circular growth rings that vary in density and color from light tan to dark brown. The patterns are consistent across the grid, illustrating the natural texture and grain structure of the wood. The planks are arranged in a uniform grid, with thin dark lines separating them.

SOLID END-GRAIN PLANKS