

Based upon Regulation (EC) No. 1907/2006, as amended by Regulation (EC) No. 453/2010

# Section 1. Identification of the substance/mixture and of the company/undertaking:

1.1. Product identifier:

**Product Name:** SW-890 MS Polymer Adhesive **Registration Number REACH:** Not applicable (mixture)

**Product type REACH:** Mixture

# 1.2. Relevant identified uses of the substance or mixture and uses advised against:

# 1.2.1 Relevant identified uses

Sealing compound, Adhesive

1.2.2 Uses advised against

No uses advised against known

# 1.3 Details of the supplier of the safety data sheet:

The Solid Wood Flooring Company Unit 1 Helena Court Hampton Street Tetbury GL8 8JN Tel.: +44 01666 504 015 info@thesolidwoodflooringcompany.com

# Section 2. Hazards Identification:

# 2.1 Classification of the substance or mixture:

# 2.1.1 Classification according to Regulation EC No 1272/2008

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

# 2.1.2 Classification according to Directive 67/548/EEC-1999/45/EC

Not classified as dangerous according to the criteria of directive(s) 67/548/EEC and/or 1999/45/EC

# 2.2 Label elements:

Labelling according to Regulation EC No 1272/2008 (CLP) Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008 Labelling according to Directive 67/548/EEC-1999/45/EC (DSD/DPD) Not classified as dangerous in compliance with Directive 67/548/EEC and/or Directive 1999/45/EC

# 2.3 Other hazards:

CLP No other hazards known DSD/DPD No other hazards known

# Section 3. Composition/information on ingredients:

3.1 Substances:

Not applicable

#### 3.2 Mixtures:

Name	CAS No	Conc. (C)	Classification	Classification	Note	Remark
<b>REACH Registration No</b>	EC No		According to DSD/DPD	According to CLP		
3-trimethoxysilyl)propylamine	13822-56-5	1% <c<3%< td=""><td>Xi; R38 - 41</td><td>Skin Irrit. 2; H315</td><td>(1)(10)</td><td>Constituent</td></c<3%<>	Xi; R38 - 41	Skin Irrit. 2; H315	(1)(10)	Constituent
01-2119510159-45	237-511-5			Eye Dam. 1; H318		

(1) For R-phrases and H-statements in full: see heading 16

(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

# Section 4. First aid measures:

### 4.1 Description of first aid measures:

General:

If you feel unwell, seek medical advice

### After inhalation:

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

### After skin contact:

Rinse with water. Soap may be used. Take victim to a doctor if irritation persists.

### After ingestion:

Rinse mouth with water. Consult a doctor/medical service if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed:

### 4.2.1 Acute symptoms

After inhalation: No effects known.

After skin contact: No effects known.

After eye contact: No effects known.

After ingestion: No effects known

### 4.2.2 Delayed symptoms

No effects known.

### 4.3 Indication of a n immediate medical attention and special treatment needed:

If applicable and available it will be listed below.

# Section 5. Fire-fighting measures:

### 5.1 Extinguishing media:

5.1.1 Suitable extinguishing media:

Polyvalent foam. ABC powder. Carbon dioxide

# 5.1.2 Unsuitable extinguishing media:

No unsuitable extinguishing media known.

# 5.2 Special hazards arising from the substance or mixture:

Upon combustion: formation of CO, CO2 and small quantities of sulphur oxides

# 5.3 Advice for firefighters:

# 5.3.1 Instructions:

No specific fire-fighting instructions required.

# 5.3.2 Special protective equipment for fire-fighters:

Gloves. Protective clothing. Heat/fire exposure: compressed air/oxygen apparatus.

# Section 6. Accidental release measures:

# 6.1 Personal precautions, protective equipment and emergency procedures:

# No naked flames.

# 6.1.1 Protective equipment for non-emergency personnel

# See heading 8.2

# 6.1.2 Protective equipment for emergency responders

Gloves. Protective clothing. Suitable protective clothing: See heading 8.2

### 6.2 Environmental precautions:

Contain leaking substance. Use appropriate containment to avoid environmental contamination.

## 6.3 Methods and material for containment and cleaning up:

Scoop solid spill into closing containers. Clean contaminated surfaces with a soap solution. Wash clothing and equipment after handling

### 6.4 Reference to other sections:

See heading 13.

# Section 7. Handling and storage:

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identities use.

# 7.1 Precautions for safe handling:

Keep away from naked flames/heat. Observe normal hygiene standards. Keep container tightly closed

### 7.2 Conditions for safe storage

### 7.2.1 Safe storage requirements:

Store in a dry area. Store at room temperature. Meet the legal requirements. Max, storage time: 1year(s).

### 7.2.2 Keep away from:

Heat sources

7.2.3 Suitable packaging material:

### Synthetic material

## 7.2.4 Non suitable packaging material:

No data available

### 7.3 Specific end use(s):

If applicable and available exposure scenarios are attached in annex. See information supplied by the manufacturer.

# Section 8. Exposure controls/Personal protection:

# 8.1 Control parameters:

# 8.1.1 Occupational exposure

### a) Occupational exposure limit values

If limit values are applicable and available these will be listed below

### b) National biological limit values

If limit values are applicable and available these will be listed below

### 8.1.2 Sampling methods

If applicable and available it will be listed below.

### 8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

### 8.1.4 DNEL/PNEC values

DNEL - Workers

### 3-(trimethoxysilyl)propylamine

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	58 mg/m <sup>3</sup>	
	Long-term systemic effects dermal	8.3 mg/kg bw/day	

#### DNEL – General population 3-(trimethoxysilyl)propylamine

Effect level (DNEL/DMEL)	Туре	Value	Remark				
DNEL	Long-term systemic effects inhalation	17 mg/m³					
	Long-term systemic effects dermal	5 mg/kg bw/day					
	Long-term systemic effects oral	5 mg/kg bw/day					

# PNEC 3-(trimethoxysilyl)propylamine

Compartments	Value	Remark
Fresh water	0.33 mg/l	
Marine water	0.033 mg/l	
Aqua (intermittent releases)	3.3 mg/l	
STP	13 mg/l	
Fresh water sediment	1.2 mg/kg sediment dw	
Marine water sediment	0.12 mg/kg sediment dw	
Soil	0.045 mg/kg soil dw	
Oral	44.4 mg/kg food	

#### 8.2 Exposure controls:

The information in this section is a general description. It applicable and available, exposure relevant exposure scenarios that correspond to your identified use.

#### 8.2.1 Appropriate engineering controls

Keep away from naked flames heat. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

### 8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Keep container tightly closed. Do not eat, drink or smoke during work.

- a) Respiratory protection: Insufficient ventilation: wear respiratory protection
- b) Hand protection: Gloves.
- c) Eye protection: Safety glasses.
- d) Skin protection: Protective clothing.

#### 8.2.3 Environmental exposure controls:

See headings 6.2. 6.3 and 13

# Section 9. Physical and chemical properties:

## 9.1 Information on basic physical and chemical properties:

Physical form	Paste
Odour	Characteristic odour
Odour threshold	No data available
Colour	Variable in colour, depending on the composition
Particle size	No data available
Explosion limits	No data available
Flammability	Not easily combustible
Log Kow	Not applicable (mixture)
Dynamic viscosity	No data available
Kinematic viscosity	No data available
Melting point	No data available
Boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Vapour pressure	No data available
Relative vapour density	No data available
Solubility	Water ; insoluble
Relative density	1.7; 20°C
Decomposition temperature	No data available
Auto-ignition temperature	No data available
Explosive properties	No chemical group associated with explosive properties
Oxidising properties	No chemical group associated with explosive properties
рН	No data available

### 9.2 Other information:

Surface tension	No data available
Absolute density	1700 kg/m <sup>3</sup> ; 20°C

# Section 10. Stability and reactively:

10.1 Reactivity:

Heating increases the fire hazard

10.2 Chemical stability:

Stable under normal conditions.

# 10.3 Possibility of hazardous reactions:

No data available.

10.4 Conditions to avoid:

Keep away from naked flames/heat.

**10.5 Incompatible materials:** 

No data available.

### **10.6 Hazardous decomposition products:**

Upon combustion: formation of CO, CO2 and small quantities of sulphur oxides.

# Section 11. Toxicological information:

### 11.1 Information on toxicological effects:

11.1.1 Test results

Acute toxicity

SW-890 MS Polymer Adhesive

No (test) data on the mixture available

### 3-(trimethoxysilyl)propylamine

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	Equivalent to OECD 401			Rat (male)	Experimental value	
Dermal	LD50	Equivalent to OECD 402		24 h	Rabbit (male)	Experimental value	
Inhalation (vapours)	LC50	OECD 403		6 h	Rat (male)	Read-across	
Inhalation (vapours)	LC50	OECD 403		6 h	Rat (male)	Read-across	

### Conclusion

Not classified for acute toxicity

#### **Corrosion/irritation**

SW-890 MS Polymer Adhesive

No (test) data on the mixture available

3-(trimethoxysilyl)propylamine

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Serious eye damage	Equivalent to OECD 405		24; 48; 72 hours	Rabbit	Read-across	
Skin	Irritating	Equivalent to OECD 404	3 min-4 h	1; 24; 48; 72; 168 hours	Rat	Calculated value	

In the light of practical experience, the classification for this mixture is less stringent than the one based on the calculation set out.

### Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

Not classified as irritating to the respiratory system

### Respiratory or skin sensitisation

SW-890 MS Polymer Adhesive

No (test) data on the mixture available

### 3-(trimethoxysilyl)propylamine

Route of exposure	Result	Method	Exposure time	Observation	Species	Value determination	Remark
				at time point			
Skin	Not sensitising	OECD 406	72h	24; 48 hours	Guinea Pig	Experimental value	
					(male/female)		

Judgement is based on the relevant ingredients

### Conclusion

Not classified as sensitising for inhalation

Not classified as sensitising for skin

### Specific target organ toxicity

SW-890 MS Polymer Adhesive

No (test) data on the mixture available

## 3-(trimethoxysilyl)propylamine

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral (stomach tube)	LOAEL	OECD 408	600 mg/kg bw/day	Liver	Clinical signs; mortality; body weight; food consumption	92 day(s)	Rat (male/female)	Read-across
Oral (stomach tube)	NOAEL	OECD 408	200 mg/kg bw/day	Liver	No effect	92 day(s)	Rat (male/female)	Read-across
Inhalation (aerosol)	IRT (Inhalation risk test)	Equivalent to OECD 412	147 mg/m <sup>3</sup> air	Lungs	Lesions in larynx, trachea and lung	4 weeks (6h/day, 5 days/week)	Rate (male)	Read-across

Judgement is based on the relevant ingredients

### Conclusion

Not classified as sub-chronic toxicity

# Mutagenicity (in vitro)

SW-890 MS Polymer Adhesive

No (test) data on the mixture available

#### 3-(trimethoxysilyl)propylamine

Result	Method	Test substrate	Effect	Value determination
Negative with metabolic activation, negative without metabolic activation	OECD 476	Chinese hamster ovary (CHO)	No effect	Read-across
Negative with metabolic activation, negative without metabolic activation	OECD 473	Chinese hamster lung fibroblasts	No effect	Read-across
Negative with metabolic activation, negative without metabolic activation	OECD 471	Escherichia coli	No effect	Experimental value
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S.typhimurium)	No effect	Experimental value

# Mutagenicity (in vitro)

SW-890 MS Polymer Adhesive

No (test) data on the mixture available

3-(trimethoxysilyl)propylamine

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative	Equivalent OECD 474		Mouse (male/female)	Bone marrow	Read-across

## Carcinogenicity

SW-890 MS Polymer Adhesive

No (test) data on the mixture available

3-(trimethoxysilyl)propylamine

Route of	Parameter	Method	Value	Exposure time	Species	Value	Organ	Effect
exposure						determination		
Dermal	NOAEL	Not further	43.8	104 weeks	Mouse	Inconclusive,	Skin	No carcinogenic
		determined	mg/week	(3 times/week)	(male/female)	insufficient		effect
						data		

### **Reproductive toxicity**

SW-890 MS Polymer Adhesive

No (test) data on the mixture available

3-(trimethoxysilyl)propylamine

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity	NOAEL	EPA OTS 798.4900	100 mg/kg/bw/day	14 days (gestation daily)	Rat	No effect		Read-across
	LOAEL	EPA OTS 798.4900	600 mg/kg/bw/day	14 days (gestation daily)	Rat	Minor skeletal variations	Skeleton	Read-across
	NOAEL	Other	100 mg/kg/bw/day	14 day(s)	Rat	No effect		Read-across
	LOAEL	Other	600 mg/kg/bw/day	14 day(s)	Rat	Clinical signs; mortality; body weight; food consumption	General	Read-across
	NOAEL	OECD 408	600 mg/kg/bw/day	92 day(s)	Rat (male/female)	No effect		Read-across

### **Conclusion CMR**

Not classified for reprotoxic or developmental toxicity Not classified for mutagenic or genotoxic toxicity Not classified for carcinogenicity

### **Toxicity other effects**

SW-890 MS Polymer Adhesive No (test) data on the mixture available

Chronic effects from short and long-term exposure

SW-890 MS Polymer Adhesive

No effects known

# Section 12. Ecological information:

12.1 Toxicity

#### SW-890 MS Polymer Adhesive

3-(trimethoxysilyl)propylamine

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	>934 mg/l	96 h	Danio rerio	Semi-static system	Fresh water	Read-across; GLP
Acute toxicity invertebrates	EC50	OECD 202	331 mg/l	48 h	Daphnia magna	Static system	Fresh water	Read-across; GLP
Toxicity algae and other aquatic plants	EC50	EC Method C.3	>1000 mg/l	72 h	Desmondesmus subspicatus	Static system	Fresh water	Read-across; GLP
Toxicity aquatic microorganisms	EC50	Other	45 mg/l	5.75 h	Psedomonas putida	Static system	Fresh water	Read-across; GLP

#### Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272.2008

### 12.2 Persistence and degradability

3-(trimethoxysilyl)propylamine

#### **Biodegradation water**

Method	Value	Duration	Value determination
EU Method C.4	67 %; GLP	28 day(s)	Experimental value

#### Half-life water (t1/2 water)

Method	Value	Primary degradation/mineralisation	Value determination
	4 h; pH = 7	Primary degradation	QSAR

#### Conclusion

Contains non readily biodegradable components(s)

#### **12.3** Bio accumulative potential:

SW-890 MS Polymer Adhesive

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

3-(trimethoxysilyl)propylamine

#### Log Kow

Method	Remark	Value	Temperature	Value determination
		0.2	20°C	QSAR

## Conclusion

Contains non contain bioaccumulative components(s)

#### 12.4 Mobility in soil

SW-890 MS Polymer Adhesive

No (test) data on mobility of the components available

### 12.5 Results of PBT and vPvB assessment:

Does not contain components(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) no 1907/2006.

### 12.6 Other adverse effects:

SW-890 MS Polymer Adhesive **Global warming potential (GWP)** None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EC) No 517/2014) **Ozone-depleting potential (ODP)** Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009) 3-(trimethoxysilyl)propylamine **Global warming potential (GWP)** Not included in the list of fluorinated greenhouse gases (Regulation (EC) No 517/2014) **Ground water** Ground water pollutant

# Section 13. Disposal considerations:

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 13.1 Waste treatment methods:

### 13.1.1 Provisions relating to waste

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC). 08 04 10 (wastes from MFSU of adhesives and sealants (including waterproofing products): waste adhesives and sealants other than those mentioned in 08 04 09). Depending on branch of industry and production process, also other waste codes may be applicable. Can be considered as non-hazardous waste according to Directive 2008/98/EC.

### 13.1.2 Disposal methods

Recycle/reuse. Remove waste in accordance with local and/or national regulations. Do not discharge into drains or the environment. Dispose of at authorised waste collection point.

### 13.1.3 Packaging/Container

Waste material code packaging (Directive 2008/98/EC).

15 01 02 (plastic packaging).

# Section 14. Transport information:

# Applicable for: Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG) and Air (ICAO-TI/IATA-DGR)

### 14.1 UN number:

Transport	Not subject	
UN number		
14.2 UN proper shipping name:		
14.3 Transport hazard class(es):		
Hazard identification number		
Class		
Classification code		
14.4 Packing group		
Packaging		
Labels		
14.5 Environmental hazards:		
Environmentally hazardous substance mark	No	
14.6 Special precautions for user		
Special provisions		
Limited quantities		

# Section 15. Regulatory information:

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

# European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
<1 %	
<5 g/l	

# **REACH Annex XVII – Restriction**

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

3-(trimethoxysilyl)propylamine	Liquid substances or mixtures which are	1. Shall not be used in:
	regarded as dangerous in accordance	- Ornamental articles intended to produce
	with Directive 1999/45/EC or are fulfilling	light or colour effects by means of
	the criteria for any of the following	different phases, for example in
	hazard classes or categories set out in	ornamental lamps and ashtrays,
	Annex I to Regulation (EC) No 1272/2008:	- Tricks and jokes,
	(a) Hazard classes 2.1 to 2.4, 2.6 and	<ul> <li>Games for one or more participants, or</li> </ul>
	2.7, 2.8 types A and B, 2.9, 2.10,	any article intended to be used and such,
	2.12, 2.13 categories 1 and 2, 2.14	even with ornamental aspects.
	categories 1 and 2, 2.15 types A to F;	2. Articles not complying with paragraph 1 shall not be placed on the market
	(b) Hazard classes 3.1 to 3.6, 3.7	3. Shall not be placed on the market if they
	adverse effects on sexual function	contain a colouring agent unless required for
	and fertility or on development, 3.8	fiscal reasons, or perfume, or both, if they:
	effects other than narcotic effects,	- Can be used as fuel in decorative oil lamps
	3.9 and 3.10;	for supply to the general public, and,
	(c) Hazard class 4.1;	- Present as aspiration hazard and labelled
		with R65 or H304,
		4. Decorative oil lamps for supply to the general
		public shall not be placed on the market unless
		they conform to the European Standard on
		Decorative oil lamps (EN 14059) adopted by the
		European Committee for Standardisation (CEN).
		5. Without prejudice to the implementation of
		other community provisions relating to the
		classification, packaging and labelling of
		dangerous substances and mixtures, suppliers shall ensure, before the placing on the market,
		that the following requirements are met:
		a) lamp oils, labelled with R65 or H304,
		intended for supply to the general public
		are visibly, legibly and indelibly marked as
		follows: "Keep lamps filled with this liquid
		out of the reach of children"; and, by 1
		December 2010, "Just a sip of lamp oil —
		or even sucking the wick of lamps — may
		lead to life- threatening lung damage";
		b) grill lighter fluids, labelled with R65 or
		H304, intended for supply to the general
		public are legibly and indelibly marked by
		1 December 2010 as follows: "Just a sip of
		grill lighter may lead to life threatening
		lung damage";
		c) lamp oils and grill lighters, labelled with
		R65 or H304, intended for supply to
		d) the general public are packaged in black
		opaque containers not exceeding 1 litre by 1 December 2010.
		<ol> <li>No later than 1 June 2014, the Commission</li> </ol>
		shall request the European Chemicals Agency
		to prepare a dossier, in accordance with Article
		69 of the present Regulation with a
		view to ban, if appropriate, grill lighter fluids
		and fuel for decorative lamps, labelled R65 or
		H304, intended for supply to the general public.
	1	, <u>pp /</u>

7.	Natural or legal persons placing on the market
	for the first-time lamp oils and grill lighter
	fluids, labelled with R65 or H304, shall by 1
	December 2011, and annually hereafter,
	provide data on alternatives to lamp oils and
	grill lighter fluids labelled R65 or H304 to the
	competent authority in the Member State
	concerned. Member States shall make those
	data available to the Commission.'

# Section 16. Other information:

Full text of any R-phrases referred to under headings 2 and 3:
R38 Irritating to skin
R41 Risk of serious damage to eyes
Full text of any H-statements referred to under headings 2 and 3:
H315 Causes skin irritation.
H318 Causes serious eye damage.
(\*) = INTERNAL CLASSIFICATION BY BIG
PBT-substances = persistent, bio accumulative and toxic substances
DSD Dangerous Substance Directive
DPD Dangerous Preparation Directive
CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used.